

HASA BLEACH 5.25%

Safety Data Sheet

5.25% Sodium Hypochlorite

Emergency 24 Hour Telephone: **CHEMTREC 800.424.9300**

Corporate Headquarters: Hasa Inc.

P.O. Box 802736

Santa Clarita, CA 91355 Telephone • 661.259.5848 Fax • 661.259.1538

		SECTION 1:	IDENTIFICATION
1.1	Produ	ıct Identification:	
	1.1.1	Product Name:	HASA BLEACH 5.25%
	1.1.2	CAS # (Chemical Abstracts Service):	7681-52-9
	1.1.3	RTECS (Registry of Toxic Effects of Chemical Substances):	NH3486300
	1.1.4	EINECS (European Inventory of Existing Commercial Substances):	231-668-3
	1.1.5	EC Number:	231-668-3
	1.1.6	Synonym:	Bleach, Hypo, Hypochlorite, Liquid Chlorine Solution
	1.1.7	Chemical Name:	Sodium Hypochlorite
	1.1.8	Chemical Formula:	NaOCI
1.2	Recoi	mmended Uses:	Laundry and cleaning.
1.3	Comp	pany Identification:	Hasa Inc.
	-	-	P. O. Box 802736
			Santa Clarita, CA 91355
1.4	Emer	gency Telephone Number:	CHEMTREC
			1-800-424-9300
			(24 hour Emergency Telephone)
1.5	Non-E	Emergency Assistance:	661-259-5848
			(8 AM – 5 PM PST / PDT)

Revision Date: 07/01/2018 (Supersedes previous revisions)

S Ir S si	Skin corrosion / irritation: Serious Eye damage / Eye rritation Specific target organ toxicity, ingle exposure Hazardous to the aquatic environment, acute hazard	Category 1 Category 3 (respiratory tract irritation)	
Ir S si	rritation Specific target organ toxicity, ingle exposure Hazardous to the aquatic	Category 3 (respiratory tract irritation)	
Si	ingle exposure lazardous to the aquatic	irritation)	
	•		
HAZARD e	invironinioni, aoato nazara	Category 1	
PHYSICAL HAZARD C	Corrosive to metals.	Category 1	
SYMBOLS		!> \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
SIGNAL WORD	DAN	GER	
	May be corrosive to metals. Causes		
	damage. May cause respiratory irritation. Very toxic to aquatic life.		
PRECAUTIONARY	Prevention		
p	Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe mist or vapor. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Keep only in original container. Avoid release to the environment.		
	Resp	onse	
If b If R fc C	Continue rinsing. Immediately call a contaminated clothing before reuse Absorb spillage to prevent material	air and keep comfortable for ately all contaminated clothing. eyes: Rinse cautiously with water ct lenses, if present and easy to do. a poison center/doctor. Wash	
	Storage an Store in a well-ventilated place. Kee	•	
lo D	ocked up. Store in corrosive resistations of container/contents in actional, international regulations a	ant container. cordance with local, regional,	

	SECTION 3: COMPOSITION INFORMATION ON INGREDIENTS				
Ingredient		Synonyms	CAS No.	Weight %	
3.1	Sodium Hypochlorite	Bleach	7681-52-9	5.25%	
3.2	Sodium Hydroxide	Caustic Soda	1310-73-2	0.1%	

		SECTION 4: FIRST AID MEASURES		
4.1	IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
4.2	IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 		
4.3	IF INHALED	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 		
4.4	IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
	HOT I INE NIIMBED			

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

		SECTION 5: FIRE	FIGHTING MEASURES	
5.1	Flash	Point:	Not applicable.	
5.2	Flammability:		Nonflammable and noncombustible.	
5.3	Auto-	Ignition Temperature:	Not applicable.	
5.4	Produ	cts of Combustion:	Not pertinent.	
5.5	Fire H	azards:	May decompose, generating irritating chlorine gas.	
5.6	Explo	sion Hazards:	Not explosive.	
5.7	Fire Fighting Media and Instructions:			
	5.7.1	Extinguishing Media:	Water fog. Foam. Dry chemical powder. Carbon dioxide.	
	5.7.2	Small Fires:	Use carbon dioxide, or water spray.	
	5.7.3	Large Fires:	Use flooding quantities of water as fog.	
5.8	Speci	al Remarks on Fire Hazards:	Do not use Mono Ammonium Phosphate (MAP) fire extinguishers. Such use may cause explosion with release of toxic gases.	

	SECTION 6: ACCIDENTAL RELEASE MEASURES			
6.1	Small Spill:	Wipe up with absorbent material (e.g. cloth, fleece). Clean surface		
		thoroughly to remove residual contamination.		
6.2	Large Spill:	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.		
6.3	Precautions, Protective Equipment & Emergency Procedures:	Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Absorb spillage to prevent material damage. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see Section 8 of the SDS.		
6.4	Environmental	Do not discharge into drains, water courses or onto the ground.		
	Precautions:	Environmental manager must be informed of all major releases.		

		SECTION 7: HANDLING AND STORAGE
7.1	Handling:	 Avoid contact with skin or eyes. Do not ingest. Avoid inhalation of vapor or mist. Wear protective equipment if necessary. Mix only with water in accordance with label directions. Mixing this product with ammonia, acids, detergents, etc or with organic materials, e.g. feces, urine, etc. will release chlorine gas, which is irritating to eyes, lungs, and mucous membranes.
7.2	Hygiene Measures:	 Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. While handling this product, avoid eating, drinking or smoking.
7.3	Storage:	 Do not freeze. Store in a cool, shaded outdoor area. Inside storage should be in a cool, dry, well-ventilated area. To maintain hypochlorite strength, do not store in direct or heated indoor areas. Keep in original vented container. Keep container closed when not in use. Do not store adjacent to chemicals that may react if spillage occurs. If closed containers become heated, vent to release decomposition

	SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION				
8.1	Engir	neering Controls:	Local exhaust ventilation to maintain levels below STEL (Short Term Exposure Limit) of 1 ppm as chlorine.		
8.2	Perso	onal Protection:			
	8.2.1	Eye / Face Protection:	Wear safety glasses, goggle prevent eye contact.	es or face shield to	
	8.2.2	Skin Protection:	Wear appropriate chemical clothing and chemical resist skin contact. Butyl rubber, N Gloves should be worn whe material. Wear chemical resas a rubber apron when spl Rinse immediately if skin is Remove contaminated cloth wash before reuse. Clean p before reuse.	tant gloves to prevent Neoprene, or Nitrile en handling this sistant clothing such ashing may occur. contaminated. ning promptly and	
	8.2.3	Respiratory Protection:	Avoid breathing vapor or mi exposure limits are exceeded NIOSH approved respirator equipment appropriate to the components. Full facepiece recommended and, if used, face shield and chemical governmented emergency and other conditional limit may be significantly exapproved full face positive-proportions.	ed (see below), use y protection he material and/or its equipment is replaces need for oggles. For tions where exposure ceeded, use an oressure, self-	
	8.2.4	Other Safety Equipment:	Eye wash facility and emergobe in close proximity.		
8.3	Expo	sure Limits:	Sodium Hypochlorite	Chlorine*	
	8.3.1	AIHA (American Industrial Hygiene Association) / WEEL (Workplace Environmental Exposure Level guides) 2010	2 mg/m ³ : 15 minute. (Short-term time weighted average)	Not established	
	8.3.2	ACGIH (American Conference of Governmental Industrial Hygienists) TWA (Time Weighted Average)	Not established.	0.5 ppm	
	8.3.3	ACGIH STEL (Short Term Exposure Limit)	Not established.	1 ppm	
	8.3.4	OSHA PEL (Permisible Exposure Limit)	Not established.	0.5 ppm	
	8.3.5	ACGIH Ceiling	Not established.	Not established	
	8.3.6	NIOSH (National Institute for Occupational Safety & Health) IDLH (Immediate Danger to Life & Health)	Not established.	10 ppm	
	8.3.7	OSHA STEL (Short Term Exposure Limit)	Not established.	1 ppm as Cl ₂	
	8.3.8	NIOSH (15 min. ceiling)	Not established.	0.5 ppm	
		orine is unlikely to be present as a de ents of accidental mixing with other c		ay be present in	

	SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
9.1	Appearance:	Greenish yellow liquid.	
9.2	Odor:	Pungent.	
9.3	Odor Threshold:	0.9 mg/m ³ .	
9.4	pH:	10.4 – 10.6 (1% solution)	
9.5	Melting Point:	Not pertinent.	
9.6	Freezing point:	-7.5℃ (-18℉)	
9.7	Boiling Point & Boiling Range:	Decomposes @ 110°C (230°F)	
9.8	Flash Point:	No information available.	
9.9	Evaporation Rate:	No information available.	
9.10	Flammability (solid, gas):	Not flammable.	
9.11	Upper / Lower Flammability or	No information available.	
	Explosive Limits:		
9.12	Vapor Pressure:	12.1 mm Hg @ 20 ℃ (68 °F)	
9.13	Vapor Density:	Not available.	
9.14	, · ·	1.08 g/mL or 9 lb/gallon @ 20 °C (68 °F)	
9.15	Gravity): Solubility in Water:	Mixes infinitely with water.	
9.16	Partition Coefficient: (n-octanol / water):	No information available.	
9.17	Auto-ignition Temperature:	No information available.	
9.18	Decomposition Temperature:	Decomposes @ 110°C (230°F)	
9.19	Molecular Weight:	74.5 g/mole	
9.20	Viscosity:	No information available.	

	SECTION 10	: STABILITY AND REACTIVITY
10.1	Stability:	Stable under normal conditions of storage, handling, and use.
10.2	Instability / Decomposition Temperature:	All bleach decomposition is dependant on temperature. For any given temperature, the higher the strength, the faster it decomposes. In summary, for every 10°C increase in storage temperature, the sodium hypochlorite will decompose at an increased rate factor of approximately 3.5.
10.3	Conditions of Instability:	High heat, ultraviolet light.
10.4	Incompatibility with Various Substances:	Oxidizing agents, acids, nitrogen containing organics, metals, iron, copper, nickel, cobalt, organic materials, and ammonia.
10.5	Corrosivity:	Corrosive to metals.
10.6	Special Remarks on Reactivity:	Rate of decomposition increases with heat. May develop chlorine if mixed with acidic solutions.
10.7	Special Remarks on Corrosivity:	None.
10.8	Hazardous Polymerization:	Will not occur.

	SECTION 11: TOXICOLOGICAL INFORMATION		
11.1 Routes of Entry:		Eyes, skin, ingestion, dermal absorption.	
11.2 Acute Toxicity:			
	11.2.1 Oral Toxicity (LD ₅₀):	3-5 g/kg (rat)	
	11.2.2 Dermal Toxicity (LD ₅₀):	>2 g/kg (rabbit)	
	11.2.3 Primary Eye Irritation:	Corrosive	
	11.2.4 Primary Skin Irritation:	Corrosive	
	11.2.5 Inhalation Toxicity (LC ₅₀):	No data available.	
11.3 Chronic Effects (Human Risk Assessment):		Based on the toxicity profile and exposure scenarios for sodium hypochlorite, EPA concludes that the risks from chronic and subchronic exposure to low levels of these pesticides are minimal and without consequence to human health.	
11.4	Tolerance Requirement:	Exempt (EPA document "Index to Pesticide Chemical Names, Part 180 Tolerance Information, and Food and Feed Commodities (by Commodity)" July 2010	

	SECTION 12: ECOLOGICAL INFORMATION		
12.1			Sodium hypochlorite is low in toxicity to avian wildlife, but it is highly toxic
			to freshwater fish and invertebrates.
	12.1.1	Freshwater Fish Toxicity:	Atlantic Herring (clupea harengus) $LC_{50} = 0.033 - 0.097 \text{ mg//l/96} \text{ hr}$, flow through bioassay (pH: 8) Shiner Perch (cymatogaster aggregata) $LC_{50} = 0.045 - 0.098 \text{ mg/l/96} \text{ hr}$, flow through bioassay (pH: 8) Three Spine Stickleback (gasterosteus aculeatus) $LC_{50} = 0.141 - 0.193 \text{ mg/l/96} \text{ hr}$, flow through bioassay (pH: 8) Pink Salmon (oncorhynchus gorbuscha) $LC_{50} = 0.023 - 0.052 \text{ mg/l/96} \text{ hr}$, flow through bioassay (pH: 8) Coho Salmon (oncorhynchus kisutch) $LC_{50} = 0.026 - 0.038 \text{ mg/l/96} \text{ hr}$, flow through bioassay (pH: 8)
			English Sole (parophrys vetulus) LC ₅₀ = 0.044 - 0.144 mg/l/96 hr, flow through bioassay (pH: 8) Fat Head Minnow (pimephales promelas) LC ₅₀ = 0.22 - 0.62 mg/l/96 hr, flow through bioassay (pH: 7)
	12.1.2	Invertebrate Toxicity:	Water Flea (ceriodaphnia sp. 0) LC ₅₀ = 0.006 mg/l/24 hr Water Flea (daphnia magna) LC ₅₀ = 0.07 - 0.7 mg/l/24 hr Water Flea (daphnia magna) LC ₅₀ = 2.1 mg/l/96 hr Fresh Water Shrimp (gammarus fasciatus) LC ₅₀ = 0.4 mg/l/96 hr No common name (nitocra spinipes) LC ₅₀ = 0.40 mg/l/96 hr Grass Shrimp (palaemonetes pugio) LC ₅₀ = 0.52 mg/l/96 hr
12.2	Persis	stence:	No data available.
12.3 Environmental Fate:		onmental	In fresh water, sodium hypochlorite breaks down rapidly into non-toxic compounds when exposed to sunlight. In seawater, chlorine levels decline rapidly; however, hypobromite (which is acutely toxic to aquatic organisms) is formed. EPA believes that the risk of acute exposure to aquatic organisms is sufficiently mitigated by precautionary labeling and National Pollutant Discharge Elimination System (NPDES) permit requirements.
12.4	Bioco	ncentration:	This material is not expected to bioconcentrate in organisms.
I.	1		<u> </u>

HASA BLEACH 5.25% Safety Data Sheet (SDS No. 104)

Revision Date: 07/01/2018 (Supersedes previous revisions)

SECTION 13: DISPOSAL CONSIDERATIONS

Do not contaminate food or feed by storage, disposal, or cleaning of equipment. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. This product can be neutralized with sodium bisulfite, sodium thiosulfate, sodium sulfite. Do not confuse these products with sulfates or bisulfates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination system (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not contaminate water containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. Dispose of in accordance with all applicable local, County, State, and Federal regulations.

SECTION 14: TRANSPORT INFORMATION

Not regulated by DOT.

Revision Date: 07/01/2018 (Supersedes previous revisions)

SECTION 15: REGULATORY INFORMATION									
15.1									
	15.1.1	OSHA HAZCOM (Hazard Communication)	This material is considered hazardous under the HAZCOM Standard (29 CFR 1910.1200)						
	15.1.2	OSHA PSM (Process Safety Management)	Not regulated under PSM Standard (29 CFR 1910.119) EPA Reg. No. :10897-107 (Registered pesticide under 40 CFR 152.10) All components are listed or exempted. TSCA 12(b): This product is not subject to export notification. Reportable Quantity (RQ): 45.4 kg (100 lbs) or 210 gallons (based on 5.25% active ingredient).						
	15.1.3								
	15.1.4	EPA TSCA (Toxic Substance Control Act)							
	15.1.5	EPA CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)							
	15.1.6	EPA RMP (Risk Management Plan)	Not listed. (40 CFR 68.130)						
15.2	State	of California Regulations:							
	15.2.1	5.2.1 Safe Drinking Water and Toxic Enforcement Act of 1986 [Proposition 65, California only]: This product is not subject to warning labeling under California Proposition 65.							
	15.2.2	CDPR (California Department of F	Pesticide Re	gulation)	Registration No: 10897-107- AA				
	15.2.3	CalARP (California Accidental Re Program)	lease Preve	ention	Not regulated.				
15.3	Canac	da Regulations:							
	15.3.1	WHMIS (Workplace Hazardous Materials Information System)	 Classification: E (Corrosive Materials) Health Effects Criteria Met by this Chemical: E - Corrosive to skin E - TDG class 8 - corrosive substance Ingredient Disclosure List: Included for disclosure at 1% or greater. 						
	15.3.2	DSL (Domestic Substances List)	All components of this product are on the DSL.						
15.4	Intern	ational Inventory:							
	15.4.1	AICS (Australian Inventory of Che Substances)	mical	On inventory or in compliance with inventory.					
	15.4.2			On inventory or in compliance with inventory.					
	15.4.3	PICCS (Philippine Inventory of Chand Chemical Substances)		On inventory or in compliance with inventory.					
	15.4.4	Substances in China)		On inventory or in compliance with inventory.					
	15.4.5	15.4.5 NZIoC (New Zealand Inventory of Chemicals)		On inventory or in compliance with inventory.					

SECTION 16: OTHER INFORMATION								
16.1	HMIS III (Hazardous Materials Identification System):							
	16.1.1	HEALTH	2					
	16.1.2	FLAMMABILITY	0					
	16.1.3	PHYSICAL HAZARD	1					
	16.1.4	PERSONAL PROTECTION	See Section 8.					
16.2	NFPA	NFPA 704 (National Fire Protection Association):						
	16.2.1	HEALTH	2					
	16.2.2	FLAMMABILITY	0					
	16.2.3	INSTABILITY	0					
	16.2.4	SPECIAL	None					
16.3	International Fire Code / International Building Code:		Irritant.					
16.4	ANSI	ANSI (American National Standards Institute):						
	16.4.1	Hazardous Industrial Chemicals - SDS-Preparation:	Complies with ANSI Z400.1 – 2004.					
	16.4.2	Hazardous Industrial Chemicals - Precautionary Labeling:	Complies with ANSI Z129.1 – 2006.					

Note: The information contained herein, while not guaranteed, was prepared by competent technical personnel and is true and accurate to the best of our knowledge and belief. NO WARRANTY OR GUARANTEE, express or implied, is made regarding the product performance, product stability, or as to any other condition of use, handling, transportation, and storage. Customer use, handling, transportation, and storage may involve additional safety and/or performance considerations. Our technical personnel will be happy to respond to questions regarding safe handling, storage, transportation, and use procedures. The safe handling, storage, transportation, and use procedures. No suggestions for handling, storage, transportation, or use are intended as or to be construed as recommendations which may infringe on any existing patents or violate any Federal, State, and/or local law and/or regulation, ordinance, standard, etc. This Safety Data Sheet has been prepared by HASA, Inc. staff from test reports and other information available in the public domain.